CMPS 4610 Algorithms – Fall 16

10/25/16

5. Homework

Due 11/1/16 at the beginning of class

1. Aggregate Analysis (5 points)

Consider a sequence of n operations on a data structure, in which the cost c_i of the *i*-th operation is defined as $c_i = i^2$ if *i* is a power of 2, and $c_i = 1$ otherwise.

- (a) (1 point) What is the worst-case runtime of a single operation?
- (b) (4 points) Use aggregate analysis to determine the amortized cost per operation.

2. Stack Backups (4 points)

A sequence of stack operations (push or pop) is performed on a stack whose size never exceeds k. After every k operations, a copy of the entire stack is made for backup purposes. Show that the cost of n stack operations, including copying the stack, is O(n) by using the accounting method to assign suitable amortized costs to the stack operations.

3. Amortizing Heaps (5 points)

Consider a binary max-heap data structure with n elements that supports the operations INSERT and EXTRACT-MAX in $O(\log n)$ worst-case time. Give a potential function Φ such that the amortized cost of INSERT is $O(\log n)$ and the amortized cost of EXTRACT-MAX is O(1), and show that it works.

(Hint: Let n_i be the number of elements in the heap after *i* operations. Consider a function based on $n_i \log n_i$.)

4. Finding a Cycle (4 points)

Give an algorithm that decides whether an undirected graph G = (V, E) contains a cycle. Your algorithm should run in linear time, and with the right arguments you should be able to make it run in O(|V|) time only.

5. Stack from Queues (4 points)

Show how to implement a stack using two queues. Analyze the runtime of the stack operations.