




CS 5633 -- Spring 2009



Augmenting Data Structures

Carola Wenk

Slides courtesy of Charles Leiserson with small changes by Carola Wenk

2/24/09

CS 5633 Analysis of Algorithms

1



Dictionaries and Dynamic Sets

Abstract Data Type (ADT) Dictionary :

Insert (x, D) :	inserts x into D	} D is a dynamic set
Delete (x, D) :	deletes x from D	
Find (x, D) :	finds x in D	

Popular implementation uses any **balanced search tree** (not necessarily binary). This way each operation takes $O(\log n)$ time.

2/24/09

CS 5633 Analysis of Algorithms

2



Dynamic order statistics

OS-SELECT(i, S): returns the i th smallest element in the dynamic set S .

OS-RANK(x, S): returns the rank of $x \in S$ in the sorted order of S 's elements.

IDEA: Use a red-black tree for the set S , but keep subtree sizes in the nodes.

Notation for nodes:




2/24/09

CS 5633 Analysis of Algorithms

3



Example of an OS-tree



$$size[x] = size[left[x]] + size[right[x]] + 1$$

2/24/09

CS 5633 Analysis of Algorithms

4



Selection

Implementation trick: Use a *sentinel* (dummy record) for NIL such that $size[NIL] = 0$.

OS-SELECT(x, i) ▷ i th smallest element in the subtree rooted at x

$k \leftarrow size[left[x]] + 1$ ▷ $k = rank(x)$

if $i = k$ **then return** x

if $i < k$

then return OS-SELECT($left[x], i$)

else return OS-SELECT($right[x], i - k$)

(OS-RANK is in the textbook.)

2/24/09

CS 5633 Analysis of Algorithms


5



Example

OS-SELECT(x, i) ▷ i th smallest element in the subtree rooted at x
 $k \leftarrow size[left[x]] + 1$ ▷ $k = rank(x)$
if $i = k$ **then return** x
if $i < k$
then return OS-SELECT($left[x], i$)
else return OS-SELECT($right[x], i - k$)

OS-SELECT($root, 5$)



Running time = $O(h) = O(\log n)$ for red-black trees.

2/24/09

CS 5633 Analysis of Algorithms

6



Data structure maintenance

Q. Why not keep the ranks themselves in the nodes instead of subtree sizes?

A. They are hard to maintain when the red-black tree is modified.

$k \leftarrow size[left[x]] + 1$ ▷ $k = rank(x)$

Modifying operations: INSERT and DELETE.

Strategy: Update subtree sizes when inserting or deleting.

2/24/09


CS 5633 Analysis of Algorithms

7



Example of insertion

INSERT("K")



2/24/09

CS 5633 Analysis of Algorithms

8




Handling rebalancing

Don't forget that RB-INSERT and RB-DELETE may also need to modify the red-black tree in order to maintain balance.

- **Recolorings**: no effect on subtree sizes.
- **Rotations**: fix up subtree sizes in $O(1)$ time.

Example:



\therefore RB-INSERT and RB-DELETE still run in $O(\log n)$ time.

2/24/09

CS 5633 Analysis of Algorithms

9



Data-structure augmentation

Methodology: (e.g., *order-statistics trees*)

1. Choose an underlying data structure (*red-black tree*).
2. Determine additional information to be stored in the data structure (*subtree sizes*).
3. Verify that this information can be maintained for modifying operations (RB-INSERT, RB-DELETE — *don't forget rotations*).
4. Develop new dynamic-set operations that use the information (*OS-SELECT and OS-RANK*).

These steps are guidelines, not rigid rules.

2/24/09


CS 5633 Analysis of Algorithms

10



Interval trees

Goal: To maintain a dynamic set of intervals, such as time intervals.



Query: For a given query interval i , find an interval in the set that overlaps i .

2/24/09


CS 5633 Analysis of Algorithms

11



Following the methodology

1. Choose an underlying data structure.
 - Red-black tree keyed on low (left) endpoint.
2. Determine additional information to be stored in the data structure.
 - Store in each node x the interval $int[x]$ corresponding to the key, as well as the largest value $m[x]$ of all right interval endpoints stored in the subtree rooted at x .



2/24/09

CS 5633 Analysis of Algorithms

12

ALGORITHMS

Example interval tree

$low[i] = 7 \longleftarrow 10 = high[i]$
 $5 \longleftarrow 8 \quad 11 \quad 17 \longleftarrow 19$
 $4 \longleftarrow 8 \quad 15 \longleftarrow 18 \quad 22 \longleftarrow 23$

$m[x] = \max \begin{cases} high[int[x]] \\ m[left[x]] \\ m[right[x]] \end{cases}$

2/24/09 CS 5633 Analysis of Algorithms 13

ALGORITHMS

Modifying operations

3. Verify that this information can be maintained for modifying operations.

- INSERT: Fix m 's on the way down.
- Rotations — Fixup = $O(1)$ time per rotation:

Total INSERT time = $O(\log n)$; DELETE similar.

2/24/09 CS 5633 Analysis of Algorithms 14

ALGORITHMS

New operations

4. Develop new dynamic-set operations that use the information.

INTERVAL-SEARCH(i)

```

 $x \leftarrow root$ 
while  $x \neq NIL$  and ( $low[i] > high[int[x]]$ 
or  $low[int[x]] > high[i]$ )
do  $\triangleright i$  and  $int[x]$  don't overlap
if  $left[x] \neq NIL$  and  $low[i] \leq m[left[x]]$ 
then  $x \leftarrow left[x]$ 
else  $x \leftarrow right[x]$ 
return  $x$ 

```

2/24/09 CS 5633 Analysis of Algorithms 15

ALGORITHMS

Example 1: INTERVAL-SEARCH([14,16])

```

while  $x \neq NIL$  and ( $low[i] > high[int[x]]$ 
or  $low[int[x]] > high[i]$ )
do  $\triangleright i$  and  $int[x]$  don't overlap
if  $left[x] \neq NIL$  and  $low[i] \leq m[left[x]]$ 
then  $x \leftarrow left[x]$ 
else  $x \leftarrow right[x]$ 


```

$x \leftarrow root$
 $[14,16]$ and $[17,19]$ don't overlap
 $14 \leq 18 \Rightarrow x \leftarrow left[x]$


2/24/09 CS 5633 Analysis of Algorithms 16




Example 1: INTERVAL-SEARCH([14,16])




Example 1: INTERVAL-SEARCH([14,16])



Example 2: INTERVAL-SEARCH([12,14])




Example 2: INTERVAL-SEARCH([12,14])






Example 2: INTERVAL-SEARCH([12,14])



Example 2: INTERVAL-SEARCH([12,14])



Analysis

Time = $O(h) = O(\log n)$, since INTERVAL-SEARCH does constant work at each level as it follows a simple path down the tree.

List *all* overlapping intervals:

- Search, list, delete, repeat.
- Insert them all again at the end.

Time = $O(k \log n)$, where k is the total number of overlapping intervals.

This is an *output-sensitive* bound.

Best algorithm to date: $O(k + \log n)$.



Correctness

Theorem. Let L be the set of intervals in the left subtree of node x , and let R be the set of intervals in x 's right subtree.

- If the search goes right, then $\{i' \in L : i' \text{ overlaps } i\} = \emptyset$.
- If the search goes left, then $\{i' \in L : i' \text{ overlaps } i\} = \emptyset \Rightarrow \{i' \in R : i' \text{ overlaps } i\} = \emptyset$.


In other words, it's always safe to take only 1 of the 2 children: we'll either find something, or nothing was to be found.



Correctness proof

Proof. Suppose first that the search goes right.

- If $left[x] = NIL$, then we're done, since $L = \emptyset$.
- Otherwise, the code dictates that we must have $low[i] > m[left[x]]$. The value $m[left[x]]$ corresponds to the right endpoint of some interval $j \in L$, and no other interval in L can have a larger right endpoint than $high(j)$.



- Therefore, $\{i' \in L : i' \text{ overlaps } i\} = \emptyset$.



Proof (continued)

Suppose that the search goes left, and assume that

$$\{i' \in L : i' \text{ overlaps } i\} = \emptyset.$$

- Then, the code dictates that $low[i] \leq m[left[x]] = high[j]$ for some $j \in L$.
- Since $j \in L$, it does not overlap i , and hence $high[j] < low[i]$.
- But, the binary-search-tree property implies that for all $i' \in R$, we have $low[j] \leq low[i']$.
- But then $\{i' \in R : i' \text{ overlaps } i\} = \emptyset$. □

